

Inspiring Great Spaces™

Armstrong®



RETHINK WHAT'S POSSIBLE
LAMINATE FLOORING

PREMIUM LUSTRE™

This Commercial Collection Features

The look of premium domestic hardwood in a high gloss piano finish
Collection design features: 
5" wide planks

12mm thick planks for solid feel and sound absorption
Commercial VisionGuard® with AC5 wear layer
Lifetime† Residential / 15-Year Commercial Warranty



Blizzard Pine **L8703**




Adrift Pine **L8702**



Summer Tan Fruitwood **L8700**



Candied Cherry **L8701**



Forest Brown Maple **L8704**

ABOUT COMMERCIAL LAMINATE

Businesses and residences utilizing Armstrong's laminate expect higher traffic on the floor than average homeowners. For that reason, we offer these commercial lines – flooring with Armstrong's renowned beauty, but with our most protective wear layer.

[†]Lifetime is defined as the life of the original purchaser's installation, or 50 years.



Finishing Touches

For a finished look and smooth transitions to adjoining flooring surfaces, Armstrong offers a complete selection of coordinated trims and moldings in all species and colors.



T-MOLDING

Fills the gap at doorways, and finishes spaces between the two areas of laminate flooring.



STAIR NOSE

Used where laminate flooring meets a step down or landing, or great for staircases.



QUARTER ROUND

The classic finish to your laminate floor, used where wall and flooring meet.




MULTI-PURPOSE REDUCER/THRESHOLD

Provides a smooth transition from your laminate floor to another type of flooring at a lower height. Also, finishes the space where laminate flooring ends against a vertical surface and where a quarter round cannot be used such as, sliding glass doors, against cabinet toe kicks, or carpet.



FLUSH STAIR NOSE

The durability of Armstrong's laminate flooring makes a great choice for staircases.



Aluminum Molding

- Full assortment of ADA-compliant trims and moldings
- All colors can be used with any floor
- Provides enhanced durability
- The 3-in-1 trim contains the reducer and threshold add on components, therefore any of the 3 profiles can be obtained; track is included with the 3-in-1 bundle (see page 82 for details)

ALUMINUM TRANSITIONS



REDUCER

Provides a smooth transition from your laminate floor to another flooring at a lower height.



THRESHOLD

Finishes the space where laminate flooring ends such as, sliding glass doors, wall bases, door thresholds and carpet.



T-MOLDING


Fills the gap at doorways and finishes spaces between the two areas of laminate flooring.



Installation

Lock&Fold®

Lock&Fold® technology is the industry's fastest and easiest installation system. No angling of the short end and then the long end – simply lock and fold. Reduced installation time means you can enjoy your new floor sooner with less interruption to your home.



Underlayment

Armstrong has engineered a line of underlayments to be used when installing laminate floors. The use of quality underlayment is critical to a successful installation and should be installed prior to laying planks. Use the pre-applied tape for a seamless moisture barrier, especially over concrete. These underlayments can also be used with any floating floor installation.

	PREMIUM	
	S-1836 Quiet Comfort™ Underlayment	S-1837 Quiet Comfort Underlayment
Moisture Barrier	•••	•••
Lifetime Warranty*	•••	•••
Superior Noise Reduction	•••	••
Greater Underfoot Comfort	•••	•

*When installed with Armstrong laminate flooring.

