
DESIGNER ESSENTIALS

Urban Canvas™ Wall Tile



Wall Tile



Urban Canvas

Features

- Modular with Bright and Matte 4 1/4" x4 1/4" field tile.
- Wide color range to choose from.
- Colors coordinate with Bright and Matte, Unglazed Ceramic Mosaics, Satinglo™ and Satinbrite™.

Field Tile

Bright



(1)



Gloss Biscuit 0091 (1)



Gloss Cappuccino 0078 (1)



Gloss Mushroom 0038 (2)



Gloss Nutmeg 0037



Gloss French Roast 0015 (2)



Gloss Artichoke 0063 (1)



Gloss Light Smoke 0042 (1)



Gloss Smokey Quartz 0047 (2)



Gloss Black 0049 (2)



Matte



Designer White 0061



Matte Biscuit 0092



Matte Cappuccino 0009



Matte Mushroom 0041



Matte Nutmeg 0039



Matte French Roast 0026 (2)



Matte Artichoke 0069 (1)



Matte Light Smoke 0004 (1)




Matte Smokey Quartz 0028 (2)



Matte Black 0064 (2)

Decorative Tile



Leather



4 1/4" x 8 1/2" Leather Plane Ecru KO68



2" x 8 1/2" Leather Plane Ecru KO68



2" x 12 3/4" Leather Arc Ecru KO68

Sizes

Field Tile



Leather

4 1/4" x 8 1/2" Leather Plane (4 1/4" x 8 9/16" nominal) (10.89 cm x 21.8 cm nominal)

Decorative Tile

1 1/2" x 12 3/4" Modules Acc (1 9/16" x 12 3/4" nominal) (4.0 cm x 32.5 cm nominal)

Tile Thickness: 5/16"

3" x 8 1/2" Galaxy Accent Brown/Cappuccino UC05

3" x 8 1/2" Galaxy Accent Gray/Artichoke UC07

2" x 8 1/2" Matrix Accent Multi-Gray/Black UC02

2" x 8" Hypnotic Accent Multi-Gray/Black UC02

2" x 8 1/2" Circuit Accent Multi-Color UC08

2" x 8 1/2" Zen Accent Multi-Gray/Black UC02

1/2" x 8 1/2" Ellipse Accent Available in all Field Tile colors

0000

Recommended Grout Joint: 1/16" wall tile, 3/32" for mosaic.

Shade Variation Low (V1)



Trim














2" x 8" Hypnotic Accent (1 15/16" x 7 13/16" nomin (5.0 cm x 19.8 cm nominal

Patterns

4 1/4" x 8 1/2" field tile



Grid Pattern with Deco Border

* Dark lines indicate repeat

Applications

| | Residential | Light Commercial | Commercial | |
|--------------------|-------------|---------------------|------------|--|
| Floors †* | Х | | | |
| Walls/Backsplashes | х | х | х | |
| Countertops ★ | х | х | х | |
| Pool Linings ■ | х | х | х | |

- Water, oil, grease etc. create slippery conditions. Floor applications with exposure to these conditions require extra caution in product selection. Not for use on ramps. For additional information, refer to "Factors to Consider" at www.americanolean.com/ Residential Factors.
- Darker colors on counters may show scratches.
- Suitable for exterior walls in non-freezing climates when proper installation methods
- Only Matte field tile suitable for residential bathrooms only.
- Wall accents suitable for wall use only.
- Suitable for pool linings in non-freezing climates.

Price Structure





Stylish and elegant looks. Each tile is created through traditional firing processes and glaze techniques.



Sophisticated visuals and detailed surfacing. A process of multiple glazes results in an attractive, cultured surface.



Inherent visual color and depth. A complex process of design brings out the rich, more upscale texture and look of elegant porcelain as well as a variety of other tiles.



Natural characteristics and realistic attributes. Captures the inherent beauty of natural stone. Highly complex design techniques are also applied to rich porcelains, unique glasses and other materials to create surfaces with distinctive physical and natural qualities.

Performance characteristics

(Field Tile Only)

| | C.0 Wet | D.F. Dry | Moisture Absorption | Breaking Strength | MOH's | Chemical Resistance |
|-------|------------|-------------|------------------------|----------------------|-------|------------------------|
| Gloss | N/A | N/A | <20% | 100-230 lbs. | 4-6.5 | Resistant |
| Matte | < 0.5 | ≥ 0.8 | <20% | 100-230 lbs. | 4-6.5 | Resistant |
| | | | | | | |

For more information on Test Results and Classifications,

Cleaning Procedures

- · Remove loose dust and dirt with a damp cloth or a sponge
- Use a neutral, non-abrasive cleaner suitable for ceramic tile
- Remove cleaning solution with a clean, damp sponge or mop

Special Notes

Since there is shade variation in all natural products, the tile and trim supplied for your particular installation may not match these samples. Final selection should be made from actual tiles and trim and not from tile and trim samples or color reproductions.